



Intertek
ISO 9001 certified
ASU-GSA-PM-84/F007



جامعة عين شمس
الإدارة العامة للمشروعات

كراسة الشروط ومواصفات الفنية

الخاصة بالمناقصة العامة

لعملية استكمال تجهيز الاستوديوهات

الإذاعية (بوكاست) بكلية الاعلام

جلسة فتح المظاريف الفنية

يوم الاربعاء الموافق ٤ / ٣ / ٢٠٢٦

المدير العام

- ثمن النسخة (٢٩٩ جنيه)
- ١٤ % قيمة مضافه (٤١,٨٦ جنيه)



ASU-GSA- PM -84-005



الإدارة العامة للمشتريات

الشروط والمواصفات الفنية الخاصة بالمناقصة العامة لعملية استكمال تجهيز الاستوديوهات الإذاعية (بوكاست) بكلية الاعلام جلسة فتح المظاريف الفنية يوم الاربعاء الموافق ٢٠٢٦/ ٣ / ٤

١. تخضع المناقصة العامة للمادة رقم (٦٠٧) من القانون ١٨٢ لسنة ٢٠١٨ والمواد ١٩، ١٤، ٢٨ للقانون المشار إليه.
٢. تقدم العطاءات داخل مظروفين مغلقين أحدهما مالي بوضع الأسعار والآخر فني مرفقاً به التأمين الابتدائي المطلوب ويوضح العطاء الفني المواصفات الدقيقة للأصناف موضوع المناقصة - كما يرفق بالمظروف الفني صورة من السجل التجاري والبطاقة الضريبية شهادة التسجيل في ضريبة القيمة المضافة وسابقة الأعمال وبيد المنشأ والصناعة ٠٠٠٠٠٠٠٠.
٣. آخر موعد لقبول العطاءات هو الساعة الثانية عشر من ظهر اليوم المحدد لفتح المظاريف الفنية ولا ينظر إلى أي عطاءات ترد بعد الموعد المشار إليه.
٤. مدة سريان العطاء لا تقل عن ثلاثة شهور من التاريخ المحدد لفتح المظاريف الفنية.
٥. خطابات الضمان التي تقدم كتأمين مؤقت لا تقل مدة سريانها عن شهر بعد انتهاء سريان مفعول العطاء.
٦. في حالة رسو الأعمال التي تقدم تأمين نهائي بنسبة ٥% من قيمة العمل.
٧. التأمين المؤقت المطلوب هو مبلغ وقدره ٤٠٠٠٠ جنية (اربعون الف جنيها) ويقدم بأحد وسائل الدفع الإلكتروني من خلال منظومة الدفع و التحصيل الإلكتروني أو بأي صورة من الصورتين الآتيتين :-

بموجب خطاب ضمان من أحدي المصارف المحلية المعتمدة

خصماً من مستحقاته عن عمليات اخرى من الجامعة

٨. ضرورة الالتزام برقم البند سواء بالعطاء الفني أو المالي.
٩. ضرورة تسجيل الشركة على بوابة التعاقدات العامة ولن يتم التعامل مع الشركات الغير مسجلة.
١٠. كل شركة مسجلة عن صحة البيانات الواردة بعطائها وعنوان المراسلة مع ضروره توضيح البريد الإلكتروني والفاكس الخاص بالشركة.
١١. يتم الإعلان عن العطاءات المقبولة والمرفوضة فنياً وأسباب الرفض بلوحة الإعلانات المخصصة لذلك بالإدارة العامة للمشتريات بعد الموعد المحدد لفتح المظاريف الفنية تطبيقاً لما يقضي به القانون ١٨٢ لسنة ٢٠١٨ في هذا الشأن
١٢. سيتم أخطار أصحاب العطاءات المقبولة بموعد فتح المظاريف المالية لإعلان الأسعار..
١٣. لا يجوز لمقدم العطاء شطب أي بند من بنود أو المواصفات الفنية أو إجراء تعديل فيه مهما كان نوعه وإذا رغب في أيدي ملاحظات خاصة بالنواحي الفنية فيبثها في كتاب مستقل يتضمن المظروف الفني ولا يلتفت إلى أي ادعاء من صاحب العطاء لحصول خطأ في عطاءة إذا أقدم بعد فتح المظاريف الفنية
١٤. إذا اخل المتعاقد بأي شرط من شروط العقد للجهة المستفيدة الحق في رفض العقد أو تنفذه على حسابه
١٥. القانون ١٨٢ لسنة ٢٠١٨ ولائحته التنفيذية مكملاً لهذه الشروط.
١٦. على المورد الالتزام بتقديم شهادة بنسبه المكون الصناعي المصري انسالف ذكرها صادره من اتحاد الصناعات المصريه بعد اعتمادها من الهيئة العامة للتصنيع الصناعي عند تنفيذ نسبه المكون المصري المقرر في العقد (وهو التزام على المورد الذي يتقدم بمنتجات مطليه خاصه على تلك الشهاده) ماده رقم ٣ من اللائحه التنفيذية للقانون رقم ٥ لسنة ٢٠١٥
١٧. ضرورة الالتزام بوضع طابع الشهود عند تقديم العطاء ولم يلتفت للعطاء المقدم بدون الطابع وسيتم استبعاده طبقاً للمادة رقم ٧ من القانون ١٦ لسنة ٢٠١٨ وفي حالة الرسو وتوقيع العقد يتم وضع الطابع على جميع اوراق العقد الموقع عليه .
١٨. يتم اعفاء المنشآت الصغيرة والمتناهية الصغر من نصف التأمين الابتدائي ومن نصف التأمين النهائي اذا كان المنتج الصناعي محل التعاقد مستوفياً لنسبه المكون الصناعي المصري وترد القيمة المشار اليها عند تقديم تلك الشهاده (ماده ١٤) من اللائحه التنفيذية للقانون رقم (٥) لسنة ٢٠١٥ .
١٩. قيام المقاول بتقديم ما يفيد سداد التامينات المستحقة و كذا الالتزام بتقديم فاتورة الإلكترونيه.
٢٠. ضرورة وجود ما يلي :-
 - رقم حساب بنكي خاص بالشركة معتمده من البنك
 - رقم حساب بنكي للأرباح التجاريه والصناعيه التابع لها معتمده من مصلحة الضرائب
 - رقم حساب بنكي لمصلحة الدمغات التابع لها معتمده من المصلح
٢١. ما يفيد بالالتزام بالتأمين عن العماله وفقاً لقوانين التأمينات الساتده
٢٢. يحق لمقدمي العطاءات تقديم شكاوهم خلال سبعة ايام تبدأ في اليوم التالي لاخطارهم بالقرار.
٢٣. - ينسخ العقد طبقاً للشروط الواردة بالماده (٥٠) والماده (٥١) من القانون ١٨١ لسنة ٢٠١٨
٢٤. - حق للجامعه تعديل كميات او حجم عقودها بالزيادة او النقص طبقاً لاحكام الماده ٤٦ من القانون ١٨٢ لسنة ٢٠١٨ ولائحته التنفيذية
٢٥. - إمكانية السماح بصرف دفعه مقدمه في حدود ٢٥ % طبقاً للقانون
٢٦. - مدة التنفيذ (اربعة شهور)

Technical Specifications for Tender

Professional Mirrorless Digital Camera – Key Specifications

- Full-Frame Back-Illuminated CMOS Sensor, approx. 12MP.
- 4K video up to 120fps, 10-bit 4:2:2 internal, RAW output via HDMI.
- Dual card slots supporting CF express Type A & SD UHS-II.
- 5-Axis In-Body Image Stabilization.
- High-resolution OLED EVF, 9.44M dots, 120Hz.
- Fully articulating touchscreen LCD.
- Full-size HDMI, USB-C, mic & headphone ports.
- ISO up to 409,600.
- Supports HLG & S-Log3.

Standard Zoom Lens – Key Specifications

- Focal Length: 24–70mm.
- Max Aperture: Constant f/2.8.
- Sony E-Mount, full-frame.
- XA elements, ED glass.
- Fast, silent AF.
- Weather-sealed.
- Fully compatible with camera above.

Telephoto Zoom Lens – Key Specifications

- Focal Length: 70–200mm.
- Max Aperture: Constant f/2.8.
- Sony E-Mount.
- XA, Super ED elements.
- Optical Steady Shot (OSS).
- Weather-sealed.
- Fully compatible with camera above.

Ultra-Wide Zoom Lens – Key Specifications

- Focal Length: 16–35mm.
- Max Aperture: Constant f/2.8.
- Sony E-Mount.
- XA elements, ED glass.
- Weather-sealed.
- Fully compatible with camera above.



1

Professional Video Tripod – Key Specifications

- Load capacity: min 8kg.
- Fluid video head with drags control.
- Height: 60cm to 170cm.
- Aluminum or carbon legs.
- 75mm or 100mm bowl.
- Padded bag included.
- Compatible with camera above.

High-Speed UHS-II SDXC Memory Card – Key Specifications

- Capacity: 256GB.
- UHS-II / V90.
- Read: 300MB/s, Write: 250MB/s.
- Durable and weatherproof.
- Compatible with camera above.

Genuine Battery Charger – Key Specifications

- Compatible with NP-FZ100 batteries.
- AC-powered, 100-240V.
- Fast charging, ~2hrs.
- LED indicators.
- Original OEM only.

High-Capacity Battery – Key Specifications

- Type: Li-ion, 2280mAh, 7.2V.
- Compatible with NP-FZ100 cameras.
- Long runtime, safe design.
- Original OEM only.

Multi-Input Portable Audio Recorder – Key Specifications

- 8 inputs, 12-track recording.
- SD card media.
- 24-bit/96kHz.
- Color touchscreen.
- USB audio interface mode.

Professional 12-Channel Audio Mixer – General Specifications

- 12 channels inputs at least
- Main outputs, headphone out.
- 4 Aux sends at least



④

Large-Diaphragm Condenser Microphone – Key Specifications

- Multiple polar patterns.
- 20Hz–20kHz.
- 48V phantom.
- Shock mount & pop filter included.

Professional Mic Stand – General Specifications

- Height: 90–160cm.
- Boom arm adjustable.
- Steel/aluminum.
- 5/8" thread.

Professional USB Audio Interface – Key Specifications

- USB-C or USB 2.0.
- At least 2 XLR/TRS inputs with phantom.
- 24-bit/96kHz.
- Balanced outputs.
- Direct monitoring.

Professional Audio Monitor

- 2 Way active speaker
- At least 70 Watt
- Frequency Range: 50-20KHz

Professional Headphone

- Wired
- Frequency Response: 8 Hz to 25 kHz
- Circumaural / Sound Isolating: -32 dB
- Closed-Back Design

2-Person Wireless Microphone System – General Specifications

- 2.4GHz digital.
- 2 transmitters, 1 receiver.
- 300m range.
- Built-in mics, external lav. option.
- Camera & smartphone outputs.

Professional Bi-Color LED Light – 400W – Key Specifications

- 2700K–6500K.
- CRI ≥95.
- DMX, Bluetooth control.
- V-Mount option.
- Bowens mount.

②



70cm Parabolic Soft box with Grid – General Specifications

- Bowens mount.
- Silver interior.
- Inner & outer diffusers.
- Includes grid.

Fresnel Lens Modifier – Bowens Mount – Key Specifications

- Adjustable 12°–40°.
- Heat-resistant (Includes barn doors) .

HDMI Live Streaming Video Switcher – Key Specifications

- 4 HDMI in, 1 HDMI out.
- USB-C webcam out.
- Ethernet streaming.
- Audio mixer built-in.

Professional Multi-Card Reader – USB 3.1 – Key Specifications

- Supports SD, microSD, CF.
- USB 3.1 Gen 1.
- Up to 5Gbps.

Professional Light Stand – Key Specifications

- Height 90cm–280cm.
- Load 8kg.
- Air-cushioned.
- 5/8" spigot.

SDHC Memory Card – 32GB – Key Specifications

- Class 10, UHS-I.
- Up to 120MB/s read.
- Full HD video capable.

Professional Bi-Color LED Panel – 30×60cm – Key Specifications

- 2700K–6500K.
- CRI ≥95.
- DMX & Bluetooth.
- High contrast output.

Professional Broadcast Recorder/Player – Key Specifications

- Records H.264, ProRes, DNx.
- 1080p60.

4
1



- SD cards & USB-C drives.
- SDI & HDMI I/O.

RGB LED Light Stick – 60W – Key Specifications

- Full RGB & CCT 2500K–8500K.
- Bluetooth control.
- Built-in battery.
- 1/4" mounts.

Professional Teleprompter – 22-inch – Key Specifications

- 22" display.
- Beam-splitter glass.
- HDMI/SDI input.
- Tripod/pedestal mount.

Desktop Computer with All Accessories – Minimum Specifications

- At least Intel i5 10th Gen / Ryzen 5 3000.
- At least 16GB RAM.
- At least 512GB SSD.
- 4GB GPU.
- 24" monitor.
- Keyboard, mouse, UPS, webcam.



①